


# Vibe Pro 75"

## Stand Assembly Instruction

---





Model: ST33 moveable stand

---


- To make sure use the stand correctly and securely, please read this instruction carefully before start assembly.
- Accommodate to 55-86 inch smart boards by suggestion.
- Max bearing weight is 100KG.



● Material lists:



D -Tray 1pcs







C -Hanging holder  
1pcs



E -Castor  
4pcs

Other Accessories (Unit: mm)

① Cross recess outer hexagon screw	M8×25	14pcs	
(With locating pre-lock bolt)			
② M12 spring washer		4pcs	
Cross screwdriver (Self owned)		1pcs	
Monkey wrench (Selfowned)		1pc	

Step 1: Adjust the status of castor into braking and screw it into the stand foot. (Figure 1)




Figure 1

Step 2: Lock the hanging holder on the side edge of one stand foot.  
(Figure 2)




Figure 2

Step 3: Lock the hanging holder on the side edge of another stand foot. (Figure 3)




Figure3

Step 4: Fab the tray between two upright columns. (Figure 4)




Figure 4

Step 5: According to actual demand for using the board, lock hanging strip on the board. (Figure 5)




Figure5

Step 6: Put the board on the hanging holder. Make sure braking is locked. (Figure 6)





Figure 6

Remark: There are some cases that hanging strip self owned by board can not matched with the stand, need to be used with hanging panel.

1. Lock hanging panel on the holder





The display after assembly completion is shown as following:

